


# TASKalfa MZ3200i: A revolutionary versatile printer

The Kyocera TASKalfa MZ3200i is a complete A3 MFP that blends outstanding security with unbeatable quality to match the needs of the modern workplace both today and tomorrow.



**TASKalfa MZ3200i**



**Up to 32 pages per minute**

**Standard 1,100-sheet capacity**

**Intuitive display**

**Enhanced security**

**Proven reliability**

# TASKalfa MZ3200i

## BASIC SPECIFICATIONS

**Configuration:** BW MFP - Print/Scan/Copy/Optional Fax  
**Speed (print only):**

Letter: 32 ppm, Legal: 17 ppm, Ledger: 17 ppm

**Warm Up Time:** 18 seconds or less (power on)

**First Page Out:** Copy: 4.3 seconds / Print: 4.9 seconds

**Display:** 10.1" Color Touch Screen Control Panel

**Memory/Hard Disk Drive:** Std. 4GB RAM/32GB SSD/  
320GB HDD, 1TB HDD (option)

**Duplex:** standard stackless duplex supports 5.5" x 8.5" to  
11" x 17", 16 lb. Bond - 90 lb. Index (60 - 163gsm)

**Standard Output Tray:** 5.5" x 8.5" - 11" x 17"/250-sheets

**Electrical Requirements:**

120V/60Hz/9.9A; 220-240V, 50/60Hz, 6.3A

**Typical Electricity Consumption (TEC):**

120V: .37 kWh/week; 220V: .40 kWh/week

**Dimensions:** 23.3" W x 27.4" D x 26.8" H

**Weight:** 178.5 lbs

**Maximum Monthly Duty Cycle:** 150,000 pages per month

## PAPER SUPPLY

**Paper Capacity:** Standard 1,100-sheets;

Maximum 4,100-sheets

**Standard Paper Sources:** Dual 500-sheet trays,

100-sheet MPT, Auto Selection/Switching

**Standard Paper Size:**

Tray 1 - 5.5" x 8.5" - 11" x 17"

Tray 2 - 5.5" x 8.5" - 11" x 17"

MPT: 5.5" x 8.5" - 11" x 17"

## OPTIONAL PAPER SOURCES

**PF-791** Dual 500-sheet tray option - 5.5" x 8.5" - 11" x 17"

**PF-810** Dual 1,500-sheet tray option - 8.5" x 11"

## PAPER WEIGHT

**Trays:** 16 lb. Bond - 90 lb. Index (60 - 163gsm)

**MPT:** 12 lb. Bond - 140 lb. Index (45 - 256gsm)

**Input Materials:** Standard/Optional Trays: Plain, Bond,  
Recycled, Transparency (OHP), Cardstock, Envelopes

## SECURITY SPECIFICATIONS

Local Authentication, Network Authentication,  
Encryption Communication (IPsec, HTTPS, TLS 1.3, LDAPS,  
SMTP/POP/FTPS over TLS, SNMpv3),  
TPM chipset (Trusted Platform Module), S/MIME,  
SCEP (auto certificate issuance/renewal),  
OCSP/CRL (certificate validation),  
Secure Boot (firmware authenticity verification),  
Run Time Integrity Check, HDD and Memory Overwrite (7x) Mode  
and HDD Data Encryption (256 bit),  
Common Criteria (ISO/IEC-15408/EAL2), IEEE 2600.2,  
FIPS 140-2 for storage, HCD-PP and FIPS 140-2 for communication  
require Data Security Kit 10 option which provides enhanced IPsec  
encrypted communication

## PRINT SPECIFICATION

**Standard Controller:** ARM Cortex-A53/1.6GHz

**PDLs/Emulations:** PRESCRIBE, PCL6, KPDL3 (PS3),

XPS, OPEN XPS, PDF; Optional (UG 34): IBM ProPrinter,

Line Printer, LQ-850

**Print Resolution:** Up to 1200 x 1200 dpi

**Fonts:** KPDL3, PCL6, Bitmap

**OS Compatibility:** Windows: 10/11/Server 2012/Server 2012

R2/Server 2016/Server 2019; Mac OS X v10.0 or later; Chrome OS

**Mobile Printing:** Apple AirPrint®, Mopria Print Service®,

KYOCERA Mobile Print, KYOCERA MyPanel remote access

**Interfaces:** Standard: 1000 Base-T/100-Base-Tx/10BASE-T

(IPv6, IPv4, IPsec), 802.3az ready, High-Speed USB 3.0,

4 USB 2.0 Host Interfaces, 2 eKUIO Expansion Slots,

IEEE 802.11b/g/n Wireless LAN (supports up to 98.5 feet)

Optional: IEEE 802.11a/b/g/n/ac (IB-37 for 2.4/5GHz),

10/100/1000BaseTX (IB-50 for Dual NIC); IEEE 802.11b/g/n

(IB-51 for Wireless LAN Interface (supports up to 328.1 feet))

**Network Print and Supported Protocols:** HTTPS, FTPS,

SNMP v1/v2c/v3, Raw Port (Port 9100) TCP/IP, IPv4, IPv6,

DHCP LPR, DNS, WSD Scan/Print

**Drivers:** KX Driver, PCL Uni-Driver, KPDL Uni-Driver,

Microsoft Universal Print Driver, Network Fax Driver,

TWAIN Driver, WIA Driver, Status Monitor,

Common Profile, Output to PDF, Security Watermark,

KYOCERA Print Center, MAC Driver, Chrome Print Driver,

Linux Driver, KX PRESCRIBE Macro Generator,

Windows Inbox Driver, Linux SANE Driver

**Utilities:** KYOCERA Net Viewer, KYOCERA Device Manager, Quick  
Setup, ID Register, Software Management Service,  
Upgrade Studio, Web Package Maker, Removal Tool,  
Wi-Fi Setup Tool, PDF Direct Print, Command Center RX;  
Kyocera Net Manager (option)

## SCAN SPECIFICATIONS

**Scan Type:** Color and Black & White Scanner

**Scan Resolution:** 600/400/300/200 dpi, 200 x 100 dpi,

200 x 400 dpi

**File Formats:** TIFF, JPEG, XPS, OpenXPS, PDF/A-2.0

(MMR/JPG Compression/High Compression PDF);

Option: Scan Extension Kit Text Searchable PDF;

MS Office File Types

**Connectivity:** 10 BASE-T/100 BASE-TX/1000 BASE-T

(IPv4, IPv6, IPsec) TCP/IP, Hi-Speed USB supported protocols

**Scanning Functions:** Scan-to-Folder (SMBv3), Scan-to-Email,

Scan-to-FTPS over TLS, Scan-to-USB, PDF Digital Signatures,

WSD Scan, Linux SANE Scan, TWAIN Scan, Specified Color Removal,

Border Erase, Preview

**Original Size:** Up to 11" x 17" (Glass)

**Drivers:** TWAIN/WIA/Linux SANE Driver/WSD Scan

## OPTIONAL DOCUMENT PROCESSORS<sup>1</sup>

**Acceptable Originals:** 5.5" x 8.5" - 11" x 17"

**DP-7140:** Reverse Auto Document Processor/50-sheets

Speed: Simplex: 50 ipm; Duplex: 16 ipm (BW/Color)

Weight: Simplex: 13 lb. Bond - 90 lb. Index (35 - 160gsm)

Duplex: 16 lb. - 32 lb. Bond (50 - 120gsm)

**DP-7150:** Reverse Auto Document Processor/140-sheets

Speed: Simplex: 80 ipm; Duplex: 48 ipm (BW/Color)

Weight: Simplex: 13 lb. Bond - 90 lb. Index (35 - 160gsm)

Duplex: 16 lb. - 32 lb. Bond (50 - 120gsm)

**DP-7160:** Dual Scan Document Processor/320-sheets

Speed: Simplex: 100 ipm; Duplex: 200 ipm (BW/Color)

Weights: Simplex: 13 lb. Bond - 120 lb. Index (35 - 220gsm)

Duplex: 16 lb. - 120 lb. Index (50 - 220gsm)

**DP-7170 (with multi-feed and staple detection):**

Dual Scan Document Processor/320-sheets

Speed: Simplex: 100 ipm; Duplex: 200 ipm (BW/Color)

Weights: Simplex: 13 lb. Bond - 120 lb. Index (35 - 220gsm)

Duplex: 16 lb. - 120 lb. Index (50 - 220gsm)

## COPY SPECIFICATIONS

**Copy Resolution:** 600 x 600 dpi

**Image Mode:** Text, Photo, Text/Photo, Graphic/Map

**Continuous Copy:** 1 - 9,999

**Additional Features:** Auto Magnification, Auto Paper Select,

Combine Copy, Mirror Image, Rotate Copy, Border Erase,

Margin, Page Number, Form Overlay, Blank Page Skip,

Specified Color Removal, Proof Copy, Preview, ID Card Copy

**Job Management:** 1,000 User Codes, Job Build, Shortcut Keys,

Repeat Copy

**Magnification/Zoom:** Full Size, 4 Reduction,

4 Enlargement Preset Ratios, 25 - 400% in 1% Step Increments

**Document Box:** Custom/Job

## OPTIONAL FAX SPECIFICATIONS

**Fax Type:** Fax System 12 (option)

**Type/Data Compression:** G3 Fax/MMR, MR, MH, JBIG

**Transmission Speed/Modem Speed:**

Less than 3 seconds/33.6 Kbps

**Fax Memory:** Standard 170 MB

**Driver:** Network Fax Driver

**Fax Functions:** Network Fax, Duplex Transmission and Reception,

Encrypted Transmission and Reception, Polling Transmission and

Reception, Broadcast, Fax Server Integration,

Fax Dedicated Paper Feed Tray, Fax Forwarding to email or file

## OUTPUT & FINISHING OPTIONS<sup>2</sup>

**OPTIONAL 1,000 SHEET FINISHER DF-7120<sup>3</sup>**

**Stack/Staple Capacity:** Main Tray: 1,000-sheets/50-sheets,

(up to 24 lb. Bond [90gsm])

**Paper Size:** 5.5" x 8.5" - 11" x 17"

**Paper Weight:** 14 lb. Bond - 140 lb. Index (52 - 256gsm)

**Edge Staple Position:** Top Left, Bottom Left, Center Bind

**Optional Punch PH-7A:** 2/3 Hole Punch Unit,

supports 8.5" x 11" - 11" x 17"; 14 lb. Bond - 140 lb. Index

**Dimensions:** 21.6" W x 24.4" D x 41.3" H

**OPTIONAL 3,000 SHEET FINISHER DF-791<sup>3</sup>**

**Stack/Staple Capacity:** Main Tray (A): 3,000-sheets;

**Sub Tray (B):** 200-sheets; Sub Tray (C): 50-sheets/65-sheets

**Paper Size:** 5.5" x 8.5" - 11" x 17"

**Paper Weight:** 16 lb. Bond - 140 lb. Index (60 - 256gsm)

**Edge Staple Position:** Top Left, Bottom Left, Center Bind

**Dimensions:** 29" W x 26" D x 42" H

**Optional Punch PH-7A:** 2/3 Hole Punch Unit,

supports 8.5" x 11" - 11" x 17"; 14 lb. Bond - 140 lb. Index

**Optional Multi-Bin Mailbox MT-730(B):** (DF-791)

7 Trays; supports: 16 lb. Bond - 90 lb. Index (60 - 163gsm);

**Stack Capacity per bin:** 100-sheets: 5.5" x 8.5", 8.5" x 11";

50-sheets: 8.5" x 14", 11" x 17"

## ADDITIONAL OPTIONS

AK-740 Bridge Unit Attachment Kit,

HD-16 Large Capacity HDD (1TB), Internet Fax Kit (A),

Card Authentication Kit (B), Data Security Kit 10,

2.4GHz/5GHz Multi-band Wi-Fi option (IB-37), Dual NIC (IB-50),

Extended Range Wireless LAN NIC (IB-51),

Thin Print option (UG-33), Printer Emulation option (UG-34),

DT-730(B) Document Tray, Scan Extension Kit (A) for Text Searchable

PDF; Keyboard Holder 10, Numeric Keypad (NK-7130), Cabinet Stand

<sup>1</sup> Only 1 Document Processor can be installed

<sup>2</sup> Only 1 Output Option can be installed

<sup>3</sup> Requires Bridge Unit Attachment Kit (AK-740)

## SOLUTIONS AND SERVICES

**Remote Management:** Kyocera Fleet Services ready! A highly  
secure cloud-based monitoring solution that offers real-time  
visibility into your fleet. Optimize device uptime and be notified  
when to replenish supplies. Streamline billing with seamless 3rd  
party application integration, allowing you to focus solely on  
your business.

**Printing Software:** Cost Control & Security, Cloud & Mobile,  
Printer Management

**Content Services:** Scanning Applications and Connectors,  
Intelligent Process Automation, Enterprise Content Management





**IT Solutions:** Technology Solutions (incl. Data Centers and Cloud),  
Network Infrastructure, Cybersecurity Solutions,  
Collaboration Solutions

**Consulting Services:** IT Health Check, CIO as a Service,  
Healthcare Compliance, Backup and Recovery Planning

**Professional Services:** Design and Architecture, Project  
Implementation, Project Management

**Managed Services:** Help Desk Services,  
Retainer Services and Onsite Support

**Document Processing Options**

 <p><b>DP-7170</b> Dual Scan Document Processor 320-sheet capacity w/ multi-feed &amp; staple detect 100 ipm simplex / 200 ipm duplex</p>	 <p><b>DP-7160</b> Dual Scan Document Processor 320-sheet capacity 100 ipm simplex / 200 ipm duplex</p>	 <p><b>DF-7150</b> Reversing Auto Document Processor 140-sheet capacity 80 ipm simplex / 48 ipm duplex</p>	 <p><b>DP-7140</b> Reversing Auto Document Processor 50-sheet capacity 50 ipm simplex / 16 ipm duplex</p>
--	--	--	--

**Document Finishing Options**



**TASKalfa MZ3200i**

<p><b>PH-7A</b> 2/3 Hole Punch Unit for the DF-7120 Finisher Resides in the Finisher</p>	 <p><b>DF-7120</b> 1,000-sheet Finisher Staples up to 50-sheets</p>	 <p><b>AK-740</b> Attachment Kit required for both the DF-7120 and DF-791 Finishers</p>	 <p><b>DT-730 (B) Original Holder</b> Optional platform that holds originals prior to copying</p>	 <p><b>NK-7130 Numeric Keypad</b> Provides additional hard key option for the User Interface</p>
--	--	--	--	--

**Additional Paper Feeding Options**

 <p><b>MT-730 (B)</b> 7-Bin Mailbox Option Installed on top of the DF-791 Finisher Holds 100-sheets/Bin</p>	 <p><b>DF-791</b> 3,000-sheet Finisher Staples up to 65-sheets</p>	 <p><b>PF-791</b> Dual 500-sheet Paper Tray Option 5.5" x 8.5" to 11" x 17"</p>	 <p><b>PF-810</b> Dual 1,500-sheet Paper Tray Option 8.5" x 11"</p>
--	---	--	--

<b>IB-37</b> Wi-Fi 2.4 GHz/5GHz	<b>HD-16</b> 1 TB HDD option	<b>Data Security Kit 10</b>	<b>FAX System 12</b>	<b>Internet FAX Kit (A)</b>	<b>Card Authentication Kit (B)</b>	<b>IB-50 Gigabit Ethernet Board for Dual NIC</b>
<b>IB-51 Wireless LAN NIC</b> (extended range)	<b>PLATEN TYPE E</b>	<b>UG-33 Thin Print</b>	<b>UG-34 Optional Printer Emulation</b>	<b>Scan Extension Kit (A)</b>	<b>Keyboard Holder 10</b>	<b>DT-730 (B) Original Hard Copy Holder</b>



Specifications and design are subject to change without notice. TASKalfa, PRESCRIBE, Kyocera Net Manager, Kyocera Net Viewer, Kyocera Device Manager, PDF Direct Print, Command Center RX, and KX Driver are trademarks of The Kyocera Companies. Mac OS and AirPrint are trademarks of Apple, Inc. Mopria is a trademark of Mopria Alliance, Inc. Windows is a trademark of Microsoft, Inc. All other trademarks are the property of their respective owners.



KYOCERA Document Solutions America  
225 Sand Road, PO Box 40008  
Fairfield, New Jersey 07004-0008, USA  
Tel: 973-808-8444



Kyocera Document Solutions Partner

[kyoceradocumentsolutions.us](https://www.kyoceradocumentsolutions.us)